Receiving Report Batch No: M/ Date: Supplier: _ Dart P/O: Packing Slip: Yes Release Note Attached: Yes Waybill Attached: Yes Invoice: Yes No Shipment Complete: Receipt: Cash Yes, No QC6 Inspection N/A N/A L Work Order Discrepancies Quantity Quantity Quantity Quantity Part Description Comments Ordered Number Received Returned Short 0 0 200 Initials of receiver (if shipment OK) Level 12 Production/Admin: Location Received/Costing Initial

 $\label{lem:hammal} \mbox{H:\FORMS\Purchasing\approved purch\RECREPORT\ Rev\ D} \quad \cdot \quad \\$

Purchase Order Receipt Listing

Tuesday, May 31, 2011 2:22:50 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO14190 Receipt Dates from 5/31/2011 to 5/31/2011 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)		st Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Ven	idor Nam	e VC-N	MAR001 Mar	mon/Keystone Canada Ltd								
PO14190	1		M304R.500	f	5/31/2011	5/31/2011	24.0000	>	\$1.80	0.0000	0	\$43.20
CAD	No		304 SS roundbar 117890	500 f	24.0000	DESJ02			\$43.20	0.0000	0	
	2		M316TR1.00W.1	20 f	5/31/2011	5/31/2011	20.0000		\$6.65	0.0000	0	\$133.00
	No		316 RD tubing 1. x .120w . 117890	00 f	20.0000	DESJ02			\$133.00	0.0000	0	
	4		M6061T6T0.625	W.0 f	5/31/2011	5/31/2011	72.0000	•	\$2.95	0.0000	0	\$212.40
	No		6061-T6 RD Tub .625 x.065W 117890	e f	. 72.0000	DESJ02			\$212.40	0.0000	0	
	5		M6061T6T0.500	W.0 f	5/31/2011	5/31/2011	108.0000		\$2.20	0.0000	0	\$237.60
	No		6061-T6 RD Tub .500 x.058W 117890	e ' f	108.0000	DESJ02			\$237.60	0.0000	0	
				•					Tota	Total Received (Qty to Inspect (F Total Reject (Total Recei Total Balance Due (PO U/M): Quantity: pt Value:	224.0000 0.0000 0.0000 \$626.20 0.0000

 ν

V



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9

TEL. 514/527-9153 FAX. 450/641-4357

PAGE..: 1

Order : 1102517 Date..: 05/30/2011

PACKING SLIP

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

HIP VIA ST OVERLAN	F.O.B. BOUCHERVILLE	<u>SALESPER</u> G. Dulud		<u>JR ORDER NO</u> 190
Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered
	Fax all papers to Linda Lacelle 613-632-1053	rev:01/11 GD		
24 /1	Cust. part#.: M304R.500 HT#	1	24/FT 2 24/FT 2	in V
20 /1	STAINLESS STEEL SEAMLESS TUBE 316L SMLS TUBE 1 X .120 — SA213 AVG.WALL STS 1.000 120 / F316L Tariff Number: 7304. Cust. part#.: M316TR1.00W.120 HT#	∄ — 1 1	20/FT 20/FT	V
72 /1	ALUMINUM SMLS_TUBE [ATS .625 .065] D6061 Tariff Number: 7608.20.00.90 Cust. part#.: M6061T6T0.625W.065 HT#: F00010188 Tota		72/FT 72/FT	2
, 108 /1	ALUMINUM, SMLS TUBE ATS 500 .058 D6061 Tariff Number: 7608.20.00.90 Cust. part#.: M6061T6T0.500W.058 HT#:F00008322- Tota	9	108/FT 108/FT	
				,
		Tups,	131	
		/		

No. of Bdls/Pieces

1 / 0

Total Weight....:

200

METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS 6870 HIGHWAY 42 EAST GHENT, KY 41045

6870 HIGHWAY 42 EAST

Customer: 007080 002

Certificate: 607778 2

Mail To:

MARMON KEYSTONE CANADA, INC.

1200 HERITAGE RD.

BURLINGTON, ON L7L4X9

Ship To:

MARMON KEYSTONE CANADA, INC.

1200 HERITAGE RD.

BURLINGTON, ON L7L4X9

Date: 12/16/2010

Page: 1

Steel: 304/304L

Finish: CD

Your Order: BN7219

NAS Order: PN 0011339 01

Corrosion: ASTM A262 Prac A/E

PRODUCT DESCRIPTION:

Round Bar, Annealed, Cold Draw
UNS 30400/30403 EN 10204 3.1, ASTM A484/08
ASTM A276/08A, ASTM A479/08, ASTM A182/08A CHEM CNLY,
ASME SA479/07, ASME SA182/08A CHEM ONLY
AMS 5639H, AMS 5647H, AMS QQS-763B, QQS-763F

REMARKS:

COMPLIES W/REQUIREMENTS OF DFARS EU DIRECTIVE 2002.95. EC. ROHS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Product Id	Skid # Diameter	Size Weight	Length	Mark	Pieces	Commodity Code
BD4731 5	.5000	1,012	144.00	9	1	

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

.0187	.1450	10 0005							
		18.0235	.4850	1.3285	.3550	.0751	8.6005	.0330	
s	SI								
.0235	.3130		ŗ				**************************************		
	. 0235								

MECHANICAL PROPERTIES

Product Id	•	d i r	HB No.	.2YS KSI	UTS KSI	RA %	Elng % 4D
BD4731 5	R	Ŀ	208.00	85.18	102.27	72.64	45.63

JAN 07 2011

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

QC ENGINEER ______

12/16/2010

ERIC HESS



SHANGHAI CRYSTAL PALACE PIPE CO.,LTD

ZHONG GANG, NAN HUI, SHANGHAI CHINA ZIP CODE:201302

MILL TEST CERTIFICATE

ISO9001:2000; PED Material CERTIFICATE (No.:QAC0021058/A)

DATE OF ISSUE: 2010/7/20

			100,001.	2000 ,1 12	1714101	iai CLiti		(110	11000	02100		D1111		1330E. Z	010///20
CUSTO	MER:M	ARMON/	KEYSTONE C	ANADA	INC.				C	CERTIF	ICATE N	O. :2010-	4-7-B	-14	
P.O.NO	.: BN677	1			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				C	ORDER	NO. :2	010-04-00)7-B		
COMM	ODITY:	STAINLE	SS STEEL S	EAMLESS	TUBIN	G.			G	GRADE	:ASTM	4213-07	TP3	16/TP316L	
CONDI	TION: C	OLD FIN	ISH / SOLUTIO	N TREATE	D / PICKI	LED / PLAI	N END.		Н	HEAT N	O. :TG09	1267			
CHEMI	CAL CO	NTENTS	(WT%)	****							· · · · · · · · · · · · · · · · · · ·	•			
ELEME	ENTS		С	Mr	n	P	S		Si		Ni	Cr		Mo	
SPECIF	ICATION	1	€ 0.035	€ 2.0	00 <	€ 0.040	≤ 0.030	€	0.75	10.	.0~14.0	16.0~1	8.0	2.00~3.00)
RESUL	TS (LAI	DLE)	0.026	0.82	2	0.039	0.004	0	.40	1	11.08	16.7	7	2.08	
					,	PHYSICA	L PROP	ERTIES	S	, <u> </u>				<u> </u>	
I	Dimension	าร	D 11 N	D'	Weight	0.2%YS	1	EL	FLA	ARING	FLATT	ENING HA		RDNESS	EDDY CURRENT
O.D (inch)	W.T (inch)	Length (feet)	Bundle No.	Pieces	(kg)	(Mpa) ≥205	(Mpa) ≥515	(%) ≥35	4	EST	1	ST		HRB ≤80	TEST TO E426 (100%)
1.000	0.120	20	10-4-212	15	156	355	690	48.0	(ОК	C	K		76	OK (DRILLED HOLE)
		•													
REMA	-				·	1.WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN									
			ME SA213-07			TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF									
			ERANCE AS PE		1269-07	THE PURCHASE ORDER OR CONTRACT 2.THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT									
			ACE MR0175-20 PRACTICE E	103			ERTIFICA UTTEN A						EXC	EPI IN FU	LL, WITHOUT
			TMENT:1050°C	X 1.5m/m	iin							·	10	C REVIE	WED
NO WE	ELD REP	AIR WAS	PERFORMED			SHANG	HAI CRYS	STAL PA	LACE	E PIPE C	CO.,LTD	_	- 1		}
			CONTAMINAT	TON				*	. ,.	37	25			SEP 07 2	עוט
מ		ORIGIN:		<u>.</u>				1	11-1	well	(VV)				MN
		KHILLAI /K-10-07-	TE TO EN 10204 36	/5.1			MA			,	,	URANCE	DEP	ARTMENT	
, , ,	CD 1401	11-10-07	JV .												

.625-.065-

02/13/201% From: MARMON/KEYSTONE CORPORATION

OR.REF: SLSPRS:

-M/K OR:: C.P.O.:: C PART:

FABRICATED PRODUCTS



CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

CUSTOMER PO NUMBER:		CUSTOMER	R PART NUMBER:	PRODUCT DESCRIPTION	N:	
61-13674-3		AT/,625.	065/734	Seamless Tube/Pi	pe	
KAISER ORDER NUMBER	: LINE ITEM:		SHIP DATE	KAISER LOT NUMBER:	ALLOY:	TEMPER.
206785	003		12/28/2010	F00010188	6061	T6
WEIGHT SHIPPED	QUANTITY:		B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	LENGTH:
615.000 LB	382.000 F	PCS	206597			12.000 FT
SHIP TO:				SOLD TO:		
MARMON/KEYSTO 32944 US HIGHW/ SPRING VALLEY, I	AY 6			MARMON/KEYST 10700 MARMON I BOLINGBROOK	DR	

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	elong*	HARDNESS	CONTIACS	BEND
F00010188	0001	1	45.3	39.0	21.5	N/A	N/A	N/A
,F00010188	0002	1	44.8	39.6	19.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Şi	Fa	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0,25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA.	NA	NA	0.00	0.00
D68879	. 63	. 32	.22	.05	1.01	.08	.04	.02	.00	.00	.00	.01	.02

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms aconditions of sale. Test reports are on file subject to examination.

Page 1 of 2

Nathaniel Stevens, Quality Manager

Plant Serial: 00009072

Kaiser Order Number: 206785

Line Item: 003

ATS 1625 .065 DLOGI TO

INIT.::

To:

OR.REF:: SLSPRS::

C.P.O.:: C PART::

M/k OR:: INI

KAISER
ALUMINUM
FABRICATED PRODUCTS



CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Q. C. REVIEWED

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms aconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

With It

Plant Serial: 00009072

Kaiser Order Number: 206785

Line Item: 003

Page 2 of 2



CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

CUSTOMER PO NUMBER	₹:	CUSTOMER	PART NUMBER:	PRODUCT DESCRIPTION	v:	
60-11349-2		AT/.5.058	3/7 34	Seamless Tube/Pi	pe	
KAISER ORDER NUMBE	R: LINE ITEM:		SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:
205589	002		06/07/2010	F00008322	6061	T6
WEIGHT SHIPPED:	QUANTITY:		B/L NUMBER:	DIAMOAF/THKNS:	WIDTH:	LENGTH:
326.000 LB	286.000	PCS	204875		}	12.000 FT
SHIP TO:				SOLD TO:		
MARMON/KEYST 10700 MARMON I BOLINGBROOK,	OR		·	MARMON/KEYST 10700 MARMON I BOLINGBROOK,	DR	

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONTIACS	BEND
F00008322	0001	1	45.8	42.5	15.1	N/A	N/A	N/A
F00008322	0002	1	47.7	41.7	18.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
		0.00						0.00	NA	NA	NA	0.00	0.00
D68297	.63	.30	.22	.05	.98	1.07	.05	.03	.00	.00	.00	.00	.02

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms aconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00007304

Kaiser Order Number: 205589

Line Item: 002

MARMON / KEYSTONE

Q.C. REVIEWED





CERTIFIED TEST REPORT http://Certs.KalserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

Description: MADE IN USA OD: 0.500"; Wall: 0.058"; Round @ AMS-4082P ASTM-B210-04 WW-T-700/6F AMS-4082P WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED. THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F, WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B COMPLIES TO DIN EN 10204 JAN 2005 COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014 No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Q. C. REVIEWED

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms sconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

With It

Plant Serial: 00007304

Kaiser Order Number: 205589

Line Item: 002

Page 2 of 2



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO14190

Purchase Order Date 5/27/2011
PO Print Date 5/27/2011

Page Number 1 of 2

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

 $\mathsf{C}\mathsf{A}$

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7

CANADA

FQUOSISD)

Line Nb	r Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
I N	4304R.500	304 SS roundbar .500	5/31/2011 Yes	24.00 f	TST ground	\$1.8000	\$43.20
		Special Inst:	BAR AS PER AS	SI 304/316 SS ROU STM A276 NOT ACCEPTAB			
2 N	0316TR1.00W.120	316 RD tubing 1.00 x .120w	5/31/2011 Yes	2 0.00	TST ground	\$6.6500 3 /	\$266.00
	! proff no his	Special Inst:	ROUND TUBING	SI 304/316 SS SEA G A213 OR ASME SA			
	16061T6T1.000W065	6061T6 RD TUBE 1.00 x .065w	6/8/2011	96.00	TST ground	\$3.0000	\$288.00
• /			Yes	f			

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change

Change Date: 5/27/2011



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO14190

Purchase Order Date 5/27/2011 PO Print Date 5/27/2011

Page Number 2 of 2

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

FOB

Destination-Collect

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62

TUBING PER

WW-T-700/6 OR AMS 4080 OR AMS 4082

QQ-A-200/8 OR QQ-A-225/8

M6061T6T0.625W.065

6061-T6 RD Tube .625

x.065W

5/31/2011

72.00 TST ground

f /u/5/3/

\$2.9500

\$212.40

Yes

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62

TUBING PER

WW-T-700/6 OR AMS 4080 OR AMS 4082

QQ-A-200/8 OR QQ-A-225/8

M6061T6T0.500W.058 5

6061-T6 RD Tube .500 x.058W

5/31/2011

1/108.00 TST ground

.014

Yes

\$2.2000

\$237.60

MATERIAL: 6061-T6 OR 6061-T62 Special Inst:

TUBING PER

WW-T-700/6 OR AMS 4080 OR AMS 4082

QQ-A-200/8 OR QQ-A-225/8

M304TR0.750W.049

304 RD Tube .750 x .049W

6/8/2011

200.00 TST ground

\$1.7200

Yes

\$344.00

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

Special Inst:

MATERIAL: AISI 304/316 SS SEAMLESS

ROUND TUBING

AS PER ASTM A213 OR ASME SA213 OR

ASTM A269

PO Total:

\$1,391.20

No substitution or deviation without consent.

Certificate of Conformity or Material

Change Nbr:

Change Date:

5/27/201

Certification required when applicable

TRANSMISSION VERIFICATION REPORT

: 05/27/2011 12:54

TIME : 05/27/2011 NAME : FAX : TEL : SER.# : F9N212739

DATE,TIME FAX NO./NAME DURATION PAGE(S) RESULT MODE

05/27 12:54 14506414357: 00:00:33 02 OK STANDARD ECM



PAGE.:

Date.: 5/27/11

Quotation number.: 1-617816

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 Tel -514-527-9153 4232 Wats 1-800-361-8142 FAX -450-641-4357 E-mail: gdulude@mkcdn.com

SOUMISSION/QUOTATION

Territory: 16A

Telephone: 613 632 9577

ATTN.:

CHANTAL LAVOIE

Sold To:

Ship To:

Fax....: 613 632 1053

DART AEROSPACE LTD 1270 ABERDEEN STREET DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

Ship Via

F.O.B

Salesperson

Your Reference No.

TST OVERLAND #222212

BOUCHERVILLE

G. Dulude

Les prix et livraisons sont basés sur la totalité de cette soumission. Les changements concernant la quantité ou la livraison peuvent exiger une révision de soumission. Nous nous réservons le droit d'ajuster nos prix de vente en conformité avec les coûts de l'usine, les frais de transport, les tarifs douaniers, les taxes fédérale et provinciale applicables à la date de livraison. Une variation dans les quantités livrées concordera à la pratique courante du vendeur. Toutes les commandes sont conditionnelles à l'approbation du département de crédit. Le client doit fournir une commande écrite non-annulable pour l'acceptation de cette soumission.

Pricing and delivery are based on the complete bill of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevailing at the time of quotation and are subject to review at time of order. Permissible variation in shipping quantities will be to the seller's standard practice. Orders resulting from quotation are subject to our credit approval. The Customer is to supply a written non-cuncellable order to accept this quotation.

Nous vous remercions de votre demande de prix et il nous fait plaisir de vous soumettre les renseignements. / We thank you for your inquiry and take pleasure in quoting on your requirements as follows:

Quantité/ Quantity	Description	Jours Livra Days	ison Prix Pricin	g
Line - 1 24 FT	STAINLESS ROUND BAR A276,A484,A182,A479,A262 SBR .500 CD 304L stock en lgrs de 12' random	1	1.800/FT	43.20
Line - 2 20 FT	STAINLESS STEEL SEAMLESS TUBE A/SA213 AW, A&P W STS 1.000 .120 F316L 1 x 20' en stock	1TH 1	6.650/FT	133.00
ine - 3 96 FT	ALUMINUM SMLS TUBE T6 DRAWN B-210 ATS 1.000 .065 D6061	1	3.000/FT	288.00
Line - 4 72 FT	ALUMINUM SMLS TUBE T6 DRAWN B-210 ATS .625 .065 D6061 stock en 1grs de 12'	1	2.950/FT	212.40
ine - 5 108 FT	ALUMINUM SMLS TUBE T6 DRAWN B-210 ATS .500 .058 D6061 stock en 1grs de 12'	1	2.200/FT	237.60
ine - 6 200 FT	STAINLESS STEEL SEAMLESS TUBE A/SA213 AW,A/P & STS .750 .049 304L 7/10 jours	OD# 1	1.720/FT	344.00
	Energy Surcharge Continued on next page			13.46
Taxes applicables: En Tarifs douaniers/ Du	n sus/ All applicable taxes Extra:	li i	ant total/ Amount:	
	en fonds canadiens sauf si precise autrement/ Canadian Dollars unless otherwise stated.	Poids Total	total/ weight:	



ACIERS SPÈCIALISÉS

PAGE.:

Date.: 5/27/11

Quotation number.: 1-617816

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 Tel -514-527-9153 4232 Wats 1-800-361-8142 FAX -450-641-4357

E-mail: gdulude@mkcdn.com

SOUMISSION/QUOTATION

Territory: 16A

Telephone: 613 632 9577 Fax....: 613 632 1053

ATTN.: Sold To: CHANTAL LAVOIE

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

Prix

Pricing

Ship Via

Salesperson

Your Reference No.

TST OVERLAND #222212

Quantité/

Quantity

DART AEROSPACE LTD

1270 ABERDEEN STREET

F.O.B BOUCHERVILLE

Description

G. Dulude

Jours Livraison

Days

Les prix et livraisons sont basés sur la totalité de cette soumission. Les changements concernant la quantité ou la livraison peuvent exiger une révision de soumission. Nous nous réservons le droit d'ajuster nos prix de vente en conformité avec les coûts de l'usine, les frais de transport, les tarifs douaniers, les taxes fédérale et provinciale applicables à la date de livraison. Une variation dans les quantités livrées concordera à la pratique courante du vendeur. Toutes les commandes sont conditionnelles à l'approbation du département de crédit. Le client doit fournir une commande écrite non-annulable pour l'acceptation de cette soumission.

Pricing and delivery are based on the complete bill of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevailing at the time of quotation and are subject to review at time of order. Permissible variation in shipping quantities will be to the seller's standard practice. Orders resulting from quotation are subject to our credit approval. The Customer is to supply a written noncancellable order to accept this quotation.

Nous your remercions de votre demande de prix et il nous fait plaisir de vous soumettre les renseignements. / We thank you for your inquiry and take pleasure in quoting on your requirements as follows.

·		
Taxes applicables: En sus/ All applicable taxes Extra: Tarifs douaniers/ Duty	Montant total/	
1 at its douattiets/ Duty	Total Amount:	1,271.66
Les prix soumis sont en fonds canadiens sauf si precise autrement/	Poids total/	
All prices quoted in Canadian Dollars unless otherwise stated.	Total weight:	153.8 lbs

M1010B0.500X03.000 × 296	+)			Corpbt
M1010B0.500X03.000 X 2 7 0	18.24	0	0	
W1010B1.000X02.000	12.13313763	0	6.6	6
M1010R0.375	0.86	0	0.78	0
M1018TR1.250W.109	3.684210526	0	14.21	0
M12883/45-01	2	0	4	4
M174B0.250X4.000	1.873757895	0	8.7	6
M174B0.500X02.000	7.59E-02	0	51.72	20
M174B1.250X02.000	11.61817262	0	31.392	20
M174B2.000X01.500	2.412105263	0	9	12
M174PH-H900B3.937X4.750	15.00432316	0	17	8
M174PH-H900R1.000	86.79518592	0	36	4
M174PH-H900R1.375	92.31031579	0	30.13	4
M2024T3A.750X.750X.063W	0.397210526	0	23.933	0
M2024T3A1.0 X 1.0 X.125	0.2	0	9.25	0
M2024T3S.040	311.6112579	0	234.9	64
M22759/16-229	1.211594737	0	200	100
M2650-6	27.84286749	0	56	30
M303B1.000X03.000	10.135	0	12	6 8
M303B1.000X1.000	4.137501634	0	12	6
M303B1.000X2.000	1.828519474	0	12.1929	6
M303B1.500X03.000	0.121647368	0	14.8	6
M303B2.000X1.750	3.638170526	0	6.767	10
M303H0.625	0.315789474	0	0.707	0
M303R0.313	6.14E-02	0	20.15	
M303R0.375	6.723631579	0	31.231	12
M303R0.500	5.234659537	0		12
M303R0.625	2.021052632	_	48.5	20
M303R0.750	112.1021581	0	14.58	6
M303R1.000	0.901815895	0	169.85	60
M303R2.000		0	37.467	12
M304B0.250x0.500	1.512315789	0	17.63	6
M304B0.500X2.500	50.06726316	0	179.1147	60
M304B1.500X1.500	403.2756579	0	34	12
M30481.300X1.300	0.381772891	0	12	6
M304R.500	560 .24217.05 -	0	494.2978	197 20
M304R1.00	1.97	0	23.06	24 x 24
	8.210526316	0	0	0
M304R0.750	49.50705263	0	57.238	24
M304S12GA	62.96530015	0	150.3	32
M304TR0.375W.035	3.16E-02	0	24.25	6
M304TR0.375W.065	8.72E-02	0	10	12
M304TR0.750W.065	1.212994737	0	40.5	24
M304TR1.000W.049	0.781557579	0	30.533684	24
M304TR1.125W.065	0.342105263	0	15.5	12
M304TS0.500W.049	58.64352274	0	355.3273	200
-M304TS0.750W.049	66.16044465	0	417.6411	120 acobt
M304TS0.750W.065	200.866645	0	1286.816691	200
M39029/63-368	120	0	155	5
		-	255	<u> </u>

M316TR1.000W.120 X364+V

MGOG [TGT]. OCC W. C.	65 K16047			
m606176to 625 w.c	CS ALLOWA !			
M6061T6R0.750	25.86646316	0	71.403	40
M6061T6R1.000	0.696294737	0	16.786	12
M6061T6T0.375W.035	8.794183516	0	228.56	100
M6061T6T0.375W.058	40.61063684	0	303.548	100
M6061T6T0.500W.049	11.01633684	0	347.667	100
M6061T6T0.500W.058	91.73	0	163.8	80 1006T
M6061T6T0.750W.058	8.683578947	0	181.25	40
M6061T6T1.000W.188	43.34257161	0	86.522368	40
M6061T6T1.500W.125	3.026315789	0	34.5	12
M6061T6T1.750W.065	1.956842105	0	29.415	12
M6061T6T3.500W.375	15.65789474	0	12	12
M6061T6T5.000W.125	5.757889474	0	23.75	6
M6061T6TR4.0X2.0W125	19.80520526	0	25	6
M6061T6TS0.750W.062	57.55393211	0	216.00599	100
M7075T6B1.000X1.000	0.492284592	0	12	10
M7075T6B1.500X1.500	0.221021053	0	16	6
M7075T73B4.000x4.000	8.485615789	0	19.121	6
M7075T73R1.000	2.312894737	0	30.865	6
M7885/2-4-3	12	0	542	80
M7885/3-4-4	14	0	333	100
M7885/3-4-5	2	0	179	50
M81714/2-DC1	2	0	4	4
M81714/2-DD2	1	0	4	4
M83536/2-024	1	0	4	4
MBRONZR1.250	5.26E-02	0	1.1	0
MDELRINB0.250X01.000	5.2	0	6	6 5 3 467
MDELRINBO.75X1.250	9.200973684	0	8	12 8 Gt
MDELRINB1.000X05.000	0.59	0	8	0
MDELRINB1.250X2.500	1.502	0	7	6
MDELRINB2.000X02.000	3.655015793	0	15	6
MDELRINRO.750 & 80-6+	88.19977368	0	73.2	24
MDELRINR1.500	4.05E-04	0	10	6
MDELRINR2.000	0.092631579	0	18.51	10

delrin Roundbar 1" x 126+ /

M60617676.312500.058 x 1008+

m606/T65.100 464SF



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

5/0 1102517 c/o 5/30.

PURCHASE ORDER

Purchase Order ID PO14190

Purchase Order Date 5/27/2011 PO Print Date 5/27/2011

Page Number 1 of 2

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY **BOUCHERVILLE, QC J4B 5X9**

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nor

Buyer

Chantal Lavoje

Requisition Nbr

Tax Resole Nor

10127-2607 Net 30

Terms Currency

CAD

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line Nbi	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ B Taxable Unit of M		Ship Method	Unit Price	Extended Price
1 N	1304R,500	304 \$8 roundbar .500 5	/31/2011 Yes	24.00 f	TST ground	\$1,8000	\$43,20

Special Inst:

MATERIAL: AISI 304/316 SS ROUND

BAR AS PER ASTM A276

NOTE: AISI 303 NOT ACCEPTABLE

2 M316TR1.00W,120 316 RD tubing 1.00 x .120w

5/31/2011

25Y

20' only in STOCK as quoted!

Special Inst:

MATERIAL: AISI 304/316 SS SEAMLESS

ROUND TUBING

Yes

AS PER ASTM A213 OR ASME SA213 OR

ASTM A269

M606176T1.000W065

60611'6 RD TUBE 1.00 x .065w

6/8/2011 ---

96.00 TST ground

f

\$3.0000

\$288.00

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

3

Change Date: 5/27/2011

WARMON KEYSTONE



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO14190

Purchase Order Date 5/27/2011 PO Print Date 5/27/2011

Page Number 2 of 2

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nor

Виуег

Regulation Nor

Tax Resale Nor Тегше

Net 30

Currency FOB

CAD

Chantal Lavoic

10127-2607

Destination-Collect

Special Inst;

MATERIAL: 6061-T6 OR 6061-T62

TUBING PER

WW-T-700/6 OR AMS 4080 OR AMS 4082

OR

QQ-A-200/8 OR QQ-A-225/8

M6061T6T0.625W.065

6061-T6 RD Tube .625

x.065W

5/31/2011

72.00 TST ground

ſ

\$2,9500

\$212.40

Yes

Special Yest:

MATERIAL: 6061-T6 OR 6061-T62

TUBING PER

WW-T-700/6 OR AMS 4080 OR AMS 4082

OR

QQ-A-200/\$ OR QQ-A-225/8

M60617610.500W.058

6061-T6 RD Tube .300 x 058\W

5/31/2011

108.00 TST ground

ľ

\$2,2000

\$237.60

Yes

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62

TUBING PER

WW-T-700/6 OR AMS 4080 OR AMS 4082

OR

QQ-A-200/8 OR QQ-A-225/8

M304TR0.750W.049

904 RD Tube .750 x .049W

6/8/2011

200.00 TST ground

\$1.7200

\$344.00

Yes

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

Special last:

MATERIAL: AISI 304/316 SS SEAMLESS

ROUND TUBING

AS PER ASTM A213 OR ASME \$A213 OR

ASTM A269

PO Total:

\$1,391.20

No substitution or deviation without

consent.

Cortificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date:

PAGE 02/02

MARMON KEYSTONE

420-641-4357

b0:b1 IT0Z/ZZ/S0



PORMULE COMBINEE ET ABREGEE DE CONNAISSEMENT SIMPLE - CONTRAT D'EXPEDITION DE MESSAGERIES. ADOPTEE PAR LES CHEMINS UIT. cité dans le climiticadem (Canadian Tright Chamilladem) et pouvant cur chimins à apple agence de game et les tem PER QUI ASSURENT LE TRANSPORT DES MARCHANDEUS ET DES MESSAGERIES ET QUI SONT SOUS LA JUDIODITION DE LA COMMESSION CONSIGNÉES À CANADIENNE DES TRANSPORTS. EMIS À LA DEMANDE DE L'EXPEDITEUR

caind A: DART AEROSPACE LTD

1270 ABERDEEN STREET

PAGE .:

290 Chemin du Tremblay Boucherville J4B 5X9 TEL (514) 527 9153 FAX (450) 641 4357

Shipping date....: 05/30/2011 Name of Carrier...: TST OVERLAND #222212

F.O.B.... BOUCHERVILLE

Telephone....: 613 632 5200

Past public & distributed in Energian Quotient Description of Appendix and special metro Past All papers to Linda Lacelle 613-632-1053 xev:01/11 GD xev:01/11 GD	HAWKESBURY ON CAN KGA 1K7	Cust	omer orde	r.: 14190
Fax	Description du chargement et marques speciales/Description of shipments and special marks	Poids/Weight	Picces/PCS	Si lea finis sont psymbles d'advance centre qu'estamper sei: /
304. ROUND BAR 1/2" CD 2276 SBR	Pax all papers to Linda Lacelle 613-632-1053	rev:01/11 GD		
Suppl. Value Total/Total L'expediteur inscrit je montant (P.S.L.) Montret/Amount \$ P Frais/Fox \$ S L Trisl/Total \$ L'expediteur inscrit je montant (P.S.L.) Montret/Amount \$ P Frais/Fox \$ S L Trisl/Total \$ L'expediteur inscrit je montant (P.S.L.) Montret/Amount \$ P Frais/Fox \$ S L Trisl/Total \$ Valuation/Valuation Number of extra large pieces. Si le turiff l'exige indiquer le volume total. / Where required by satiff filipper must complete the following. Dimensions/ //Dimensions Numero du conv/Criter number 1.1,02517	SOAL ROUND BAR 1/2" CD A276 SBR .500 CD 304L 05/30/2011 24 FT 2 IN. Cust. part#: M304R.500 Rev: NAS Country of Origin: CAN HT#: 7XJO D2-STAINLESS STEEL SEAMLESS TUBE 31.6% SMLS TUBE 1" X .120 SA213 AVG.WALL STS 1.000 .120 F31.6L 05/30/2011 20 FT Cust. part#: M316TR1.00W.120 Rev: CPI Country of Origin: CHN HT#: TG091267 D3-ALUMINUM SMLS TUBE ATS .625 .065 D6061 05/30/2011 72 FT Cust. part#: M5061T6T0.625W.065 Rev: RM Country of Origin: USA HT#: F00010188 D4-ALUMINUM SMLS TUBE ATS .500 .058 D6061 05/30/2011 108 FT Cust. part#: M6061T6T0.500W.058 Rev:		2.8 22.8 9.7	Dolt eire credite sux frais sur les biens ci-contre. Agent ou calasier/Agent or Cashier Par./Per. A l'usage du voiturier/For carrier's use Avances et ou Au dela/ Advances and or beyond \$ Divers./ Misc. \$ Suppl. Tiece / Suppl. Tiece \$
Frais/Foe S			9	Suppl. Value \$ Total/Total \$ L'expediteur inscrit le montant (P.S.L.)
1 + 0 = 1 Number of extra large pieces. 59 L/B Si le tariff l'exige indiquer le volume total. / Where required by tariff shipper must complete the following. Dimensions/ Dimensions Volume(pied carbos)/ Total cubic feet Poids taxe/ Dimensional weight 1,102517				Frais/Fob S S Trisi/Total S
Dimensions/ (Minerisionis) Volume(pied cross)/ Total cubic feet Poids taxe/ Dimensional weight 1,102517		~	29. T/B	Valuation/Valuation
Expediteur/ Shipper Agent/ Transport Signature du client/Customer	Si le teriff l'exige indiquer le volume total. / Where required by teriff shipp imensions/ Dimensions Volume(pied cubes)/ Total cubic feet	per must complete the following. 1 Poids taxe/ Dimensional weight		
	xpeditour/Shipper Agent/Tran	uport		Signature du client/Customer

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153 FAX. 450/641-4357

PAGE..: 1 Order : 1102517 Date.,: 05/30/2011

PACKING SLIP

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

SOLD TO:

05/30/2011 11:55

DART AÉROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN KGA 1K7

HAWKESBURY ON CAN K6A 1K7

MARMON/KEYSTONE

P VIA OVERLAND #	F.O.B. 222212 BOUCHERVILLE	<u>SALESPER</u> G. Dulud		JR_ORDER NO
Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered
	Fax all papers to Linda Lacelle 613-632-1053	rev:01/11 GD		
24 /FT	STAINLESS ROUND BAR 304L ROUND BAR 1/2" CD A276 SBR .500 CD 304L Cust. part#.: M304R.500 HT#: 7XJ0	a = 2/2	24/FT 2 24/FT 2	IN
20 /FT	STAINLESS STEEL SEAMLESS TUBE 316L SMLS TUBE 1" X .120 SA213 AVG.WALL STS 1.000 .120 F316L Tariff Number: 7304. Cust. part#:: M316TR1.00W.120 HT#: TG091267 Tots	1	20/FT 20/FT	
72 /FT	ALUMINUM SMLS TUBE ATS .625 .065 D6061 Tariff Number: 7608.20.00.90 Cust. part#.: M6061T6T0.625W.065 HT#: F00010188 Tota	.1 <u>6</u>	72/FT 72/FT	
108 /FT	ALUMINUM SMLS TUBE ATS .500 .058 D6061 Tariff Number: 7608.20.00.90 Cust. part#.: M6061T6T0.500W.058 HT#: F00008322 Tota	.1 <u>9</u>	108/FT 108/FT	
	,			
		1		

No. of	Bdls/	Pieces
--------	-------	--------

1 / 0

Total Weight.....

	·
	3
	1 ************************************
	4
	<u> </u>
	.
	<u> </u>
	1
	.
	\
	1
	!
	1
	i ·
	<u> </u>
	•
	1
	•
	No. of the control of
	ļ
· ·	
	<u> </u>
et e	
xi	
	
Year of the second of the seco	
70 To	
	i
	1
	1
	1
	I .
	·
	★
	*
	· · · · · · · · · · · · · · · · · · ·
	•

NAS 6870 HIGHWAY 42 EAST

METALLURGICAL TEST REPORT

Ship To:

NORTH AMERICAN STAINLESS 6870 HIGHWAY 42 EAST GHENT, KY 41045

Certificate: 507778 2

Mail To:

MARMON REYSTONE CAMADA, INC.

MARMON KEYSTONE CAMADA, INC.

Date: 12/16/2010 Page: 1

Customer: 007080 002

1200 HERITAGE RD. BURLINGTON, ON L7L4X9

1200 HERITAGE RD. BURLINGTON, ON 1714X9

Steel: 304/304L

Finish: CD

Your Order: BN7219

NAS Order: PN 0011339 01

Corrosion: ASTM A262 Prac A/E

PRODUCT DESCRIPTION:

Round Bar, Anneeled, Cold Draw UNS 30400/30403 EW 10204 3.1, ASTM A484/08 ASTM A276/08A, ASTM A479/08, ASTM A182/08A CHEM ONLY, ASME SA479/07, ASME SA182/08A CHEM ONLY AMS 5639H, AMS 5647H, AMS QQS-763B, QQS-763F

REMARKS:

COMPLIES W/REQUIREMENTS OF DFARS EU DIRECTIVE 2002.95. EC. ROHS. EAF+AOD+CC. NO WELD REPAIR. MELTED AND MFG IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

Product Id	Skid # Diameter	Size Wei	ght	Length	Mark	Pieces	Commodity Code
BD4731 5	.5000	1	, 012	144.00	9	1	

CHEMICAL ANALYSIS CM(Country of Mail) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

HEAT	CRE	C	80	CR	CO	MEN	MO	N	RI	P	
7230	ŲS.	.0187	.1450	18.0235	.4850	1.3265	.3550	.0751	8.6005	.0330	
		S	sı								
	•	, 0235	.3130		-						

MECHANICAL PROPERTIES

Product Id	1 0 c	ā i r	EB No.	.2YS KSI	uts KSI	Ra %	Eing % 4D	
BD4731 5	R	5	208.00	85.16	102.27	72.64	45.63	

JAN 0.7 2011

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

QC ENGINEER

ERIC HBSS

12/16/2010

		्र १ १
		. । ब्रे
		1
		10
	·	
		<u>]</u>
		19 18
		9
		• •
		• · · .
	v	



SHANGHAI CRYSTAL PALACE PIPE CO.,LTD

ZHONG GANG, NAN HUI, SHANGHAI CHINA ZIP CODE:201302

MILL TEST CERTIFICATE

ISO9001:2000 ;PED Material CERTIFICATE (No.:OAC0021058/A)

DATE OF ISSUE: 2010/7/20

						nai CERTI		(1101.2	11000	021001	W. I. J	מתוע	? Of.	10000. 2	010/7/20
			KEYSTONE (ANADA	INC.				C	ERTIF	CATE N	O. :2010-	4-7-B	-14	
P.O.NO).: BN677	71									NO. :2				•
COMM	10DITY:	STAINL	ESS STEEL S	EAMLESS	TUBIT	vG.			G	RADE	:ASTM	1213-07	TP3	16/TP316L	
			ISH / SOLUTIO	NTREATE	D / PICK	LED / PLAI	N END.				O. :TG09				
CHEM	ICAL CO	NTENTS	(WT%)												
ELEMI	ENTS		C	Mr	1	P	S		Si		Ni	Cr		Mo	T
SPECII	FICATIO	Ŋ	€ 0.035	€2.0	00	≤ 0.040	≤ 0.030	€	0.75	10.	0~14.0	16.0~1	8.0	2.00~3.0	
RESUL	TS (LAI	DLE)	0.026	0.82	2	0.039	0.004	0	.40	1	1.08	16.7	7	2.08	
						PHYSICA	I PROP	ERTIES	3	<u></u>					
·	· · · · ·				1		· · · · · · · · · · · · · · · · · · ·	LKIIC	, 			 ,		·	
O.D (inch)	W.T (inch)	Length (feet)	Bundle No.	Pieces	Weight (kg)	0.2%YS (Mpa) ≥205	TS (Mpa) ≥515	EL (%) ≥35	4	RING EST	FLATT TE	ENING ST	•	RDNESS HRB ≤80	EDDY CURRENT TEST TO E426 (100%)
1.000	0.120	20	10-4-212	15	156	355	690	48.0	C	OK .	0	K		76	OK (DRILLED HOLE)
WALL IN COMIC TESSOLUTION WE FREE FOUNT MILL T	R ASTMATHICKN MPLIANC T TO AST TON HEA ELD REPA FROM MI TRY OF CEST CEF	ESS TOL CE TO NA TM A262 AT TREA AIR WAS ERCURY DRIGIN: (E TO EN 10204/	03 : X 1.5m/m ION		TESTED THE PUE 2.THE C	AND TH RCHASE ERTIFICA ITTEN AI IAI CRYS	TE TEST ORDER OF OTE SHA PPROVAL OTAL PAI	RESU OR CO LL NO L OF T LACE	ULTS A ONTRA OT BE THE CO	RE IN CALLED TO THE PROPERTY OF THE PROPERTY O	DUCED, I	EXCE	WITH TH	010 MK/

To:

-Decet * F00010188 * 0005000 * MNX139 * 2/25/2011

02/15/2019 From: MARMON/KEYSTONE CORPORATION

-M/K ORs

C.P.O.=

INIT ::

OR.REF# SLSPRSt

C PART:

FABRICATED PRODUCTS



CERTIFIED TEST REPORT http://Certs.KalserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

CUSTOMER PO NUM	ER: CUST	MILE PART NUMBER:	PRODUCT DESCRIPTION	N;	(-,				
61-13674-3	AT/.	325.065/734	Seamless Tube/Pipe						
KAISER ORDER NUMI	SER: LINE ITEM:	SHIP DATE	KAISER LOT NUMBER:	ALLOY:	TEMPER;				
206785	003	12/28/2010	F00010188	6051	тв				
WEIGHT SHIPPED	QUANTITY:	B/L, NUMBER:	DIAMIDAF/THKNS;	WIDTH:	LENGTH:				
615.000 LB	382,000 PCS	206597	•		12,000 FT				
SHIP TO:			SOLD TO:						
MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA						

Actual Physical Properties

REFERENCE	DASH#	Samples	UTS (KSI)	YTS (KSI)	elong*	HARDNESS	CONTIACS	BEND
F00010188	0001	ī	45.3	39.0	21.5	N/A	N/A	N/A
F00010188	0002	.1	44.B	39.6	19.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

					•	•	•						
LIMITS	\$1	Fo	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ba.	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	D.25	0.15	NA	ΝA	NД	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA.	NA	0.00	0.00
D68879	. 63	. 32	. 22	- 05	1.01	.08	. 04	.02	.00	. 00	- 00	. 03	. 02

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby curtifies that metal shipped under this order has been inspected and tested and found in Conformance with the applicable appelications forming a part of the description set forth in Kaiser's males acknowledgement form. Any warranty is limited to that shown on Kaisek's general terms accorditions of male, rest feborts are on file subject to examination.

Page 1 of 2

Nathaniel Stevens, Quality Manager

Plant Social: 00009072

Kaiser Order Number: 206785

Line Item: 003

ATS 1625 .065 DLOGI

	The Control of the Co
·*	
	·
	,
	, , , , , , , , , , , , , , , , , , ,

Į.

02/15/2011 From: MARMON/KEYSTONE CORPORATION INIT. ::

M/Ř OR:

C.P.O.s

To:

OR REF: SLSPRS::

C PART:

FABRICATED PRODUCTS

http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

Description: MADE IN USA OD: 0.625"; Wall: 0.065"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. S.2.1. Per AMS 4082P, WAS NOT OILED. THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F, WW-T-700/4F, WW-T-700/5F, WW-T-700/6F, WW-T-700/7B.

COMPLIES TO DIN EN 10204 JAN 2005 COMPLIES TO DEAR 252.225-7001 and DEAR 252.225-7014 No Weld Repair, Morcury Free,

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Q. C. REVIEWED

CERTIFICATION

Raiser Aluminum fabricated Products, LLC ('Raiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Raiser's sales acknowledgement form. Any warranty is limited to that shown on Raiser's gaperal terms acconditions of male. Test reports are on file subject to exemipation.

Nathaniel Stevens, Quality Manager

With Lt

Plant Serial: 00009072

Kaiser Order Number: 206785

Line Item: 003

CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 8573 W, WILLIS ROAD CHANDLER, AZ 85226

11:55

. 05/30/2011

CUSTOMER PO NUMBER:		JUSTOMER PART NUMBER:	PRODUCT DESCRIPTION	(:						
60-11349-2	,	AT/,5.058/734	Seamless Tube/Pi	Seamless Tube/Pipe						
KAISER ORDER NUMBER:	LINE ITEM:	SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:					
205589	002	06/07/2010	F00008322	6061	T6					
WEIGHT SHIPPED:	QUANTITY:	. B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	LENGTH:					
326,000 LB	286.000 P	CS 204875		}	12.000 FT					
SHIP TO:			SOLD TO:							
MARMON/KEYSTONE CORP 19700 MARMON DR BOLINGBROOK, IL 60440 USA			MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA							

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	elong9	Hardness	CONVIACS	BEND
F00008322	0001	1	45.8	42.5	15.1	N/A	N/A	N/A
F00008322	0002	1	47.7	41.7	18.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	ÇE	Zn	Ti	Pb	Bi	Zz	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0,00	NA	NA	NA	0.00	0.00
068297	. 63	.30	. 22	. 05	. 98	.07	. 05	.03	-00	.00	.00	.00	.02

CERTIFICATION

Kniser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth. In Kaiser's sales acknowledgement form. Any warranty is limited to that shown but Kaiser's general terms iconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Scriol: 00007304

Kaiser Order Number: 205589

Line Item: 002

MARMON / KEYSTONE Q.C. REVIEWED INITIAL



CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 65226

Applicable Requirements:

Description: MADE IN USA
OD: 0.500"; Well: 0.058"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7E
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Q. C. REVIEWED

CERTIFICATION

Kaiser Aluminum Pabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested end found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms iconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

With It

Flant Serial: 00007304

Kaiser Order Number: 205589

Line Item: 002

Line It

Page 2 of 2

